



Please read this user guide before attempting to set up your windbreak. Follow the user guide carefully and keep for future reference. A copy of the user guide is also available on our website

www.maypoleltd.com



### WARNING - GENERAL SAFETY

• Not to be used in extreme weather conditions.

### CARE OF YOUR WINDBREAK

- Allow material to dry completely before storing in the storage bag provided.
- Remove dirt with a soft sponge and warm water. DO NOT use detergent.
- DO NOT expose to sparks, flames or other sources of ignition.

#### **CONTENTS**

- Windbreak x 1
- Steel poles x 4
- Steel pegs x 15
- Guy ropes x 8

Carry bag x 1

#### **BEFORE USE**

Choose a clear site that is flat. Remove any sharp objects from the pitching area which could be dangerous or potentially damage the fabric.



### **PITCHING INSTRUCTIONS**

Recommended 2 person Pitch.

Remove the windbreak from the carry bag and place flat on the ground.

Pre assemble all 4 metal poles.

Insert each pole into the sleeves (FIG 1) ensuring the top spike is inserted into the elasticated eyelet (FIG 2)

FIG 1

FIG 2



With the windbreak on the ground tie 2 guy ropes around the top spike of each pole.

Starting from one end; firmly secure the bottom spike on the pole into the ground. Peg down the elasticated eyelet into the ground (FIG 3). Use 2 guy ropes to hold the panel in place – ensuring the pole is vertical (FIG 4)

FIG 3



FIG 4



Repeat this process for each section of the windbreak.



It is recommended each peg is driven fully into the ground at an angle of 45 Degrees away from the pegging point. Tension each guy rope using the guy adjusters (FIG 5).

## FIG 5



Adjust the windbreak to the desired shape and position ensuring all poles remain vertical.

Peg down the middle eyelets found at the base of each panel.

s3Ole

Technical Manager Maypole Ltd November 2020

Email: sales@maypoleItd.co.uk

Web: www.maypoleltd.com