

'SUMMER DAYS' 3 PANEL POLED WINDBREAK (MP9557) USER GUIDE



**Please read this user guide before attempting to set up your windbreak.
Follow the user guide carefully and keep for future reference.**

**A copy of the user guide is also available on our website
www.maypoleltd.com**

‘SUMMER DAYS’ 3 PANEL POLED WINDBREAK (MP9557) USER GUIDE

WARNING – GENERAL SAFETY

- Not to be used in extreme weather conditions.

CARE OF YOUR WINDBREAK

- Allow material to dry completely before storing in the storage bag provided.
- Remove dirt with a soft sponge and warm water. DO NOT use detergent.
- DO NOT expose to sparks, flames or other sources of ignition.

CONTENTS

Windbreak x 1

Steel poles x 4

Guy ropes x 8

Steel pegs x 15

Carry bag x 1

BEFORE USE

Choose a clear site that is flat. Remove any sharp objects from the pitching area which could be dangerous or potentially damage the fabric.

‘SUMMER DAYS’ 3 PANEL POLED WINDBREAK (MP9557) USER GUIDE

PITCHING INSTRUCTIONS

Recommended 2 person Pitch.

Remove the windbreak from the carry bag and place flat on the ground.

Pre assemble all 4 metal poles.

Insert each pole into the black sleeves ensuring the top spike is inserted into the elasticated eyelet.



With the windbreak on the ground; tie 2 guy ropes around the top spike of each pole.

Starting from one end; firmly secure the bottom spike on the pole into the ground. Peg down the elasticated eyelet into the ground. Use 2 guy ropes to hold the panel in place – ensuring the pole is vertical.



‘SUMMER DAYS’ 3 PANEL POLED WINDBREAK (MP9557) USER GUIDE

Repeat this process for each section of the windbreak. Adjust the windbreak to the desired shape and position ensuring all poles remain vertical.



It is recommended each peg is driven fully into the ground at an angle of 45 Degrees away from the pegging point. Tension each guy rope using the guy adjusters.



S. J. Cole

Technical Manager Maypole Ltd October 2022

Email: sales@maypoleltd.co.uk

Web: www.maypoleltd.com